



# STATE ENVIRONMENTAL LABORATORY SERVICES DIVISION FY18 ANALYTICAL FEE SCHEDULE

Adjusted to correspond with Consumer Price Index (CPI) of 1.013

## APPENDIX A. SAMPLES SUBMITTED BY GOVERNMENT ENTITIES

METHOD	ANALYTES	MATRIX	PREP TEST	FY18 FEE
<b>Gas Chromatography/Mass Spectra</b>				
EPA 524.3	TRIHALOMETHANES IN DRINKING WATER (THMs)	LIQUID		147.48
EPA 524.3	VOLATILE ORGANIC COMPOUNDS IN DRINKING WATER (VOCs)	LIQUID		184.63
EPA 8260C/5030C	VOLATILE ORGANIC COMPOUNDS (VOCs)	LIQUID		369.28
EPA 8260C/5035A	VOLATILE ORGANIC COMPOUNDS (VOCs)	SOLID	PERCENT MOISTURE	369.28
EPA 8260C/5035A	VOLATILE ORGANIC COMPOUNDS (VOCs)	WASTE		369.28
EPA 8270D/3510C	SEMIVOLATILE ORGANIC COMPOUNDS (SVOCs)	LIQUID		553.91
EPA 8270D/3550C	SEMIVOLATILE ORGANIC COMPOUNDS (SVOCs)	SOLID	PERCENT MOISTURE	553.91
EPA 8270D/3580A	SEMIVOLATILE ORGANIC COMPOUNDS (SVOCs)	WASTE		553.91

METHOD	ANALYTES	MATRIX	PREP TEST	FY18 FEE
<b>General Chemistry</b>				
EPA 310.2	ALKALINITY, TOTAL (NON-COMPLIANCE)	LIQUID		18.58
EPA 300.1	BROMATE	LIQUID		74.33
EPA 300.1	BROMIDE	LIQUID		74.33
SM 5310C	CARBON, DISSOLVED ORGANIC	LIQUID		55.75
SM 5910B	CARBON, DISSOLVED ORGANIC W/ UV-254 ( FOR SUVA)	LIQUID		80.13
SM 5310C	CARBON, TOTAL ORGANIC	LIQUID		48.78
SM 10200H	CHLOROPHYLL A / PHEOPHYTIN	EXTRACT	SM10200H PREP	11.61
SM 10200H PREP	CHLOROPHYLL PREP (FILTER & EXTRACT)	LIQUID		26.70
SM 10300C	CHLOROPHYLL A IN PERIPHYTON (ETHANOL EXTRACTS)	EXTRACT		15.09
EPA 300.1	CHLORATE	LIQUID		74.33
EPA 325.2	CHLORIDE	LIQUID		24.39

METHOD	ANALYTES	MATRIX	PREP TEST	FY18 FEE
<b>General Chemistry</b>				
EPA 325.2M	CHLORIDE	SOLID	GEN CHEM SOLID PREP	24.39
SM 4500 Cl-G	CHLORINE, TOTAL RESIDUAL	LIQUID		9.29
EPA 300.1	CHLORITE	LIQUID		74.33
EPA 110.2	COLOR, APPARENT	LIQUID		12.77
EPA 110.2	COLOR, TRUE	LIQUID		16.26
EPA 335.4	CYANIDE	LIQUID		74.33
EPA 335.4M	CYANIDE	SOLID	GEN CHEM SOLID PREP	74.33
SM 5210B	DEMAND, BIOCHEMICAL OXYGEN-5 DAY (BOD-5)	LIQUID		48.78
SM 5210B	DEMAND, BIOCHEMICAL OXYGEN ULTIMATE (BODU)	LIQUID		69.66
SM 5210B	DEMAND, CARBONACEOUS BIOCHEMICAL OXYGEN- 5 DAY (CBOD-5)	LIQUID		48.78
SM 5210B	DEMAND, CARBONACEOUS BIOCHEMICAL OXYGEN- ULTIMATE (CBOD-U)	LIQUID		69.66
SM 5220C	DEMAND, CHEMICAL OXYGEN	LIQUID		38.33
SM 5220CM	DEMAND, CHEMICAL OXYGEN	SOLID	GEN CHEM SOLID PREP	44.13
PREP	FILTRATION, DISSOLVED (SAMPLE PREPARATION)	LIQUID		9.29
EPA 300.0	FLUORIDE	LIQUID		27.87
CALC	HARDNESS, CALCIUM (EPA 200.7)	LIQUID		18.58
EPA 130.1	HARDNESS, TOTAL	LIQUID		18.58
EPA 350.1	NITROGEN, AMMONIA	LIQUID		27.87
EPA 350.1M	NITROGEN, AMMONIA (SOLID)	SOLID	GEN CHEM SOLID PREP	27.87
EPA 351.2	NITROGEN, TOTAL KJELDAHL	LIQUID		31.36
EPA 351.2M	NITROGEN, TOTAL KJELDAHL (SOLID)	SOLID	GEN CHEM SOLID PREP	31.36
EPA 353.2	NITROGEN, NITRATE	LIQUID		27.87
EPA 353.2	NITROGEN, NITRATE + NITRITE	LIQUID		27.87
EPA 353.2	NITROGEN, NITRITE	LIQUID		27.87
CALC	NITROGEN, ORGANIC (KJELDAHL - AMMONIA)	LIQUID	EPA 351.2 & EPA 350.1	5.80
CALC	NITROGEN, TOTAL (KJELDAHL + NITRATE + NITRITE)	LIQUID	EPA 351.2 & EPA 353.2	5.80
SM 4500-O-G	OXYGEN, DISSOLVED	LIQUID		9.29
EPA 150.1	pH	LIQUID		12.77
EPA 9045D	pH IN SOIL	SOLID		12.77
EPA 365.1	ORTHOPHOSPHATE, DISSOLVED	LIQUID	FILTRATION, DISSOLVED	18.58
EPA 365.3	PHOSPHORUS, TOTAL	LIQUID		36.00
EPA 365.3M	PHOSPHORUS, TOTAL (SOLID)	SOLID	GEN CHEM SOLID PREP	36.00
SM 2540F	SOLIDS, SETTLEABLE	LIQUID		15.09

METHOD	ANALYTES	MATRIX	PREP TEST	FY18 FEE
<b>General Chemistry</b>				
SM 2540D	SOLIDS, TOTAL SUSPENDED	LIQUID		36.00
SM 2540B	SOLIDS, TOTAL	LIQUID		29.03
SM 2540C	SOLIDS, TOTAL DISSOLVED	LIQUID		36.00
EPA 160.4	SOLIDS, VOLATILE SUSPENDED	LIQUID		37.16
SM 2510B	CONDUCTIVITY	LIQUID		12.77
SM 5910B	SPECIFIC ULTRAVIOLET ABSORBANCE (UV254)	LIQUID		24.38
EPA 375.4	SULFATE	LIQUID		18.58
EPA 375.4M	SULFATE (SOLID)	SOLID	GEN CHEM SOLID PREP	18.58
SM 2130B	TURBIDITY	LIQUID		18.58

METHOD	ANALYTES	MATRIX	PREP TEST	FY18 FEE
<b>Metals</b>				
EPA 200.8	ALUMINUM, TOTAL BY ICP-MS	LIQUID		24.39
EPA 6020	ALUMINUM, TOTAL BY ICP-MS (Digestion: EPA 3005)	LIQUID		24.39
EPA 6020	ALUMINUM, TOTAL BY ICP-MS (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.7	ALUMINUM, TOTAL BY ICP-OES	LIQUID		24.39
EPA 6010	ALUMINUM, TOTAL BY ICP-OES (Digestion: EPA 3005)	LIQUID		24.39
EPA 6010	ALUMINUM, TOTAL BY ICP-OES (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.8	ANTIMONY, TOTAL BY ICP-MS	LIQUID		24.39
EPA 6020	ANTIMONY, TOTAL BY ICP-MS (Digestion: EPA 3005)	LIQUID		24.39
EPA 6020	ANTIMONY, TOTAL BY ICP-MS (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.7	ANTIMONY, TOTAL BY ICP-OES	LIQUID		24.39
EPA 6010	ANTIMONY, TOTAL BY ICP-OES (Digestion: EPA 3005)	LIQUID		24.39
EPA 6010	ANTIMONY, TOTAL BY ICP-OES (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.8	ARSENIC, TOTAL BY ICP-MS	LIQUID		24.39
EPA 6020	ARSENIC, TOTAL BY ICP-MS (Digestion: EPA 3005)	LIQUID		24.39
EPA 6020	ARSENIC, TOTAL BY ICP-MS (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.7	ARSENIC, TOTAL BY ICP-OES	LIQUID		24.39
EPA 6010	ARSENIC, TOTAL BY ICP-OES (Digestion: EPA 3005)	LIQUID		24.39
EPA 6010	ARSENIC, TOTAL BY ICP-OES (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.8	BARIUM, TOTAL BY ICP-MS	LIQUID		24.39
EPA 6020	BARIUM, TOTAL BY ICP-MS (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 6020	BARIUM, TOTAL BY ICP-MS (Digestion: EPA 3004)	LIQUID		24.39
EPA 200.7	BARIUM, TOTAL BY ICP-OES	LIQUID		24.39
EPA 6010	BARIUM, TOTAL BY ICP-OES (Digestion: EPA 3005)	LIQUID		24.39
EPA 6010	BARIUM, TOTAL BY ICP-OES (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.8	BERYLLIUM, TOTAL BY ICP-MS	LIQUID		24.39
EPA 6020	BERYLLIUM, TOTAL BY ICP-MS (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 6020	BERYLLIUM, TOTAL BY ICP-MS (Digestion: EPA 3005)	LIQUID		24.39
EPA 200.7	BERYLLIUM, TOTAL BY ICP-OES	LIQUID		24.39

METHOD	ANALYTES	MATRIX	PREP TEST	FY18 FEE
<b>Metals</b>				
EPA 6010	BERYLLIUM, TOTAL BY ICP-OES (Digestion: EPA 3005)	LIQUID		24.39
EPA 6010	BERYLLIUM,TOTAL BY ICP-OES (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.7	BORON, TOTAL BY ICP-OES	LIQUID		24.39
EPA 6010	BORON,TOTAL BY ICP-OES (Digestion: EPA 3005)	LIQUID		24.39
EPA 6010	BORON,TOTAL BY ICP-OES(Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 6020	CADMIUM, TOTAL BY ICP (Digestion: EPA 3005)	LIQUID		24.39
EPA 6020	CADMIUM, TOTAL BY ICP (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.8	CADMIUM, TOTAL BY ICP-MS	LIQUID		24.39
EPA 200.7	CADMIUM, TOTAL BY ICP-OES	LIQUID		24.39
EPA 6010	CADMIUM, TOTAL BY ICP-OES (Digestion: EPA 3005)	LIQUID		24.39
EPA 6010	CADMIUM, TOTAL BY ICP-OES (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.7	CALCIUM, TOTAL BY ICP-OES	LIQUID		24.39
EPA 6010	CALCIUM, TOTAL BY ICP-OES (Digestion: EPA 3005)	LIQUID		24.39
EPA 6010	CALCIUM, TOTAL BY ICP-OES (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.8	CHROMIUM, TOTAL BY ICP-MS	LIQUID		24.39
EPA 6020	CHROMIUM, TOTAL BY ICP-MS (Digestion: EPA 3005)	LIQUID		24.39
EPA 6020	CHROMIUM, TOTAL BY ICP-MS (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.7	CHROMIUM, TOTAL BY ICP-OES	LIQUID		24.39
EPA 6010	CHROMIUM, TOTAL BY ICP-OES (Digestion: EPA 3005)	LIQUID		24.39
EPA 6010	CHROMIUM, TOTAL BY ICP-OES (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.8	COBALT, TOTAL BY ICP-MS	LIQUID		24.39
EPA 6020	COBALT, TOTAL BY ICP-MS (Digestion: EPA 3005)	LIQUID		24.39
EPA 6020	COBALT, TOTAL BY ICP-MS (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.7	COBALT, TOTAL BY ICP-OES	LIQUID		24.39
EPA 6010	COBALT, TOTAL BY ICP-OES (Digestion: EPA 3005)	LIQUID		24.39
EPA 6010	COBALT, TOTAL BY ICP-OES (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 6020	COPPER, TOTAL BY ICP (Digestion: EPA 3005)	LIQUID		24.39
EPA 6020	COPPER, TOTAL BY ICP (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.8	COPPER, TOTAL BY ICP-MS	LIQUID		24.39
EPA 200.7	COPPER, TOTAL BY ICP-OES	LIQUID		24.39
EPA 6010	COPPER, TOTAL BY ICP-OES (Digestion: EPA 3005)	LIQUID		24.39
EPA 6010	COPPER, TOTAL BY ICP-OES (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.7	IRON, TOTAL BY ICP-OES	LIQUID		24.39
EPA 6010	IRON, TOTAL BY ICP-OES (Digestion: EPA 3005)	LIQUID		24.39
EPA 6010	IRON, TOTAL BY ICP-OES (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.8	LEAD, TOTAL BY ICP-MS	LIQUID		24.39
EPA 6020	LEAD, TOTAL BY ICP-MS (Digestion: EPA 3005)	LIQUID		24.39
EPA 6020	LEAD, TOTAL BY ICP-MS (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.7	LEAD, TOTAL BY ICP-OES	LIQUID		24.39
EPA 6010	LEAD, TOTAL BY ICP-OES (Digestion: EPA 3005)	LIQUID		24.39
EPA 6010	LEAD, TOTAL BY ICP-OES (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39

METHOD	ANALYTES	MATRIX	PREP TEST	FY18 FEE
<b>Metals</b>				
EPA 200.7	MAGNESIUM, TOTAL BY ICP-OES	LIQUID		24.39
EPA 6010	MAGNESIUM, TOTAL BY ICP-OES (Digestion: EPA 3005)	LIQUID		24.39
EPA 6010	MAGNESIUM, TOTAL BY ICP-OES (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 6010	MANGANESE, TOTAL BY ICP (Digestion: EPA 3005)	LIQUID		24.39
EPA 6010	MANGANESE, TOTAL BY ICP (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.8	MANGANESE, TOTAL BY ICP-MS	LIQUID		24.39
EPA 6020	MANGANESE, TOTAL BY ICP-MS (Digestion: EPA 3005)	LIQUID		24.39
EPA 6020	MANGANESE, TOTAL BY ICP-MS (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.7	MANGANESE, TOTAL BY ICP-OES	LIQUID		24.39
EPA 7470	MERCURY BY CVAAS	LIQUID		36.80
EPA 7471	MERCURY BY CVAAS	SOLID		97.55
EPA 7473	MERCURY IN FISH TISSUE	TISSUE		48.78
EPA 245.1	MERCURY, TOTAL	LIQUID		36.80
EPA 200.8	MOLYBDENUM, TOTAL BY ICP-MS	LIQUID		24.39
EPA 6020	MOLYBDENUM, TOTAL BY ICP-MS (Digestion: EPA 3005)	LIQUID		24.39
EPA 6020	MOLYBDENUM, TOTAL BY ICP-MS (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.7	MOLYBDENUM, TOTAL BY ICP-OES	LIQUID		24.39
EPA 6010	MOLYBDENUM, TOTAL BY ICP-OES (Digestion: EPA 3005)	LIQUID		24.39
EPA 6010	MOLYBDENUM, TOTAL BY ICP-OES (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.8	NICKEL, TOTAL BY ICP-MS	LIQUID		24.39
EPA 6020	NICKEL, TOTAL BY ICP-MS (Digestion: EPA 3005)	LIQUID		24.39
EPA 6020	NICKEL, TOTAL BY ICP-MS (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.7	NICKEL, TOTAL BY ICP-OES	LIQUID		24.39
EPA 6010	NICKEL, TOTAL BY ICP-OES (Digestion: EPA 3005)	LIQUID		24.39
EPA 6010	NICKEL, TOTAL BY ICP-OES (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.7	POTASSIUM, TOTAL BY ICP-OES	LIQUID		24.39
EPA 6010	POTASSIUM, TOTAL BY ICP-OES (Digestion: EPA 3005)	LIQUID		24.39
EPA 6010	POTASSIUM, TOTAL BY ICP-OES (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.8	SELENIUM, TOTAL BY ICP-MS	LIQUID		24.39
EPA 6020	SELENIUM, TOTAL BY ICP-MS (Digestion: EPA 3005)	LIQUID		24.39
EPA 6020	SELENIUM, TOTAL BY ICP-MS (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.7	SELENIUM, TOTAL BY ICP-OES	LIQUID		24.39
EPA 6010	SELENIUM, TOTAL BY ICP-OES (Digestion: EPA 3005)	LIQUID		24.39
EPA 6010	SELENIUM, TOTAL BY ICP-OES (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.7	SILICON AS SILICA, TOTAL BY ICP-OES	LIQUID		24.39
EPA 6010	SILICON AS SILICA, TOTAL BY ICP-OES (Digestion: EPA 3005)	LIQUID		24.39
EPA 6010	SILICON AS SILICA, TOTAL BY ICP-OES (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.7	SILICON, TOTAL BY ICP-OES	LIQUID		24.39
EPA 6010	SILICON, TOTAL BY ICP-OES (Digestion: EPA 3005)	LIQUID		24.39
EPA 6010	SILICON, TOTAL BY ICP-OES (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.8	SILVER, TOTAL BY ICP-MS	LIQUID		24.39

METHOD	ANALYTES	MATRIX	PREP TEST	FY18 FEE
<b>Metals</b>				
EPA 6020	SILVER, TOTAL BY ICP-MS (Digestion: EPA 3005)	LIQUID		24.39
EPA 6020	SILVER, TOTAL BY ICP-MS (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.7	SILVER, TOTAL BY ICP-OES	LIQUID		24.39
EPA 6010	SILVER, TOTAL BY ICP-OES (Digestion: EPA 3005)	LIQUID		24.39
EPA 6010	SILVER, TOTAL BY ICP-OES (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.7	SODIUM, TOTAL BY ICP-OES	LIQUID		24.39
EPA 6010	SODIUM, TOTAL BY ICP-OES (Digestion: EPA 3005)	LIQUID		24.39
EPA 6010	SODIUM, TOTAL BY ICP-OES (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.8	STRONTIUM, TOTAL BY ICP-MS	LIQUID		24.39
EPA 200.7	STRONTIUM, TOTAL BY ICP-OES	LIQUID		24.39
EPA 6010	STRONTIUM, TOTAL BY ICP-OES (Digestion: EPA 3005)	LIQUID		24.39
EPA 6010	STRONTIUM, TOTAL BY ICP-OES (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.8	THALLIUM, TOTAL BY ICP-MS	LIQUID		24.39
EPA 6020	THALLIUM, TOTAL BY ICP-MS (Digestion: EPA 3005)	LIQUID		24.39
EPA 6020	THALLIUM, TOTAL BY ICP-MS (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.7	THALLIUM, TOTAL BY ICP-OES	LIQUID		24.39
EPA 6010	THALLIUM, TOTAL BY ICP-OES (Digestion: EPA 3005)	LIQUID		24.39
EPA 6010	THALLIUM, TOTAL BY ICP-OES (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.7	TIN, TOTAL BY ICP-OES	LIQUID		24.39
EPA 6010	TIN, TOTAL BY ICP-OES (Digestion: EPA 3005)	LIQUID		24.39
EPA 6010	TIN, TOTAL BY ICP-OES (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.7	TITANIUM, TOTAL BY ICP-OES	LIQUID		24.39
EPA 6010	TITANIUM, TOTAL BY ICP-OES (Digestion: EPA 3005)	LIQUID		24.39
EPA 6010	TITANIUM, TOTAL BY ICP-OES (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.8	URANIUM, TOTAL BY ICP-MS	LIQUID		24.39
EPA 6020	URANIUM, TOTAL BY ICP-MS (Digestion: EPA 3005)	LIQUID		24.39
EPA 6020	URANIUM, TOTAL BY ICP-MS (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.8	VANADIUM, TOTAL BY ICP-MS	LIQUID		24.39
EPA 6020	VANADIUM, TOTAL BY ICP-MS (Digestion: EPA 3005)	LIQUID		24.39
EPA 6020	VANADIUM, TOTAL BY ICP-MS (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.7	VANADIUM, TOTAL BY ICP-OES	LIQUID		24.39
EPA 6010	VANADIUM, TOTAL BY ICP-OES (Digestion: EPA 3005)	LIQUID		24.39
EPA 6010	VANADIUM, TOTAL BY ICP-OES (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.8	ZINC, TOTAL BY ICP-MS	LIQUID		24.39
EPA 6020	ZINC, TOTAL BY ICP-MS (Digestion: EPA 3005)	LIQUID		24.39
EPA 6020	ZINC, TOTAL BY ICP-MS (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
EPA 200.7	ZINC, TOTAL BY ICP-OES	LIQUID		24.39
EPA 6010	ZINC, TOTAL BY ICP-OES (Digestion: EPA 3005)	LIQUID		24.39
EPA 6010	ZINC, TOTAL BY ICP-OES (Digestion: EPA 3050)	SOLID	PERCENT SOLIDS	24.39
PREP	PERCENT SOLIDS/PERCENT MOISTURE (EPA CLP SOW EXHIBIT D)	SOLID		24.39



METHOD	ANALYTES	MATRIX	PREP TEST	FY18 FEE
<b>Microbiology</b>				
SM 9223B	COLIFORM, TOTAL & E. COLI, MOST PROBABLE NUMBER (MPN)/ QUANTI-TRAY	LIQUID		24.39
SM 9223B	COLIFORM, TOTAL AND E. COLI, PRESENCE/ ABSENCE (P/A)	LIQUID		24.39
SM 9222B	TOTAL COLIFORMS (MF)	LIQUID		29.03
SM 9222D	FECAL COLIFORM (MF)	LIQUID		24.39
ASTM D6503	ENTEROCOCCI, MOST PROBABLE NUMBER (MPN) QUANTI-TRAY	LIQUID		31.36
ASTM D6503	ENTEROCOCCI, PRESENCE/ABSENCE (P/A)	LIQUID		31.36
HACH	IRON & SULFATE RELATED BACTERIA (P/A)	LIQUID		42.98
SM 9215B	HETEROTROHIC PLATE COUNT	LIQUID		37.16
SM 8050B	ACUTE AQUATIC TOXICITY (MICROTOX)	LIQUID		123.09
EPA 1681	FECAL COLIFORMS, MOST PROBABLE NUMBER (MPN)	BIOSOLID	PERCENT SOLIDS	24.52
EPA 1682	SALMONELLA, MOST PROBABLE NUMBER (MPN)	BIOSOLID	PERCENT SOLIDS	433.63

METHOD	ANALYTES	MATRIX	PREP TEST	FY18 FEE
<b>Gas Chromatography and Liquid Chromatography</b>				
EPA 1020B	FLASHPOINT	LIQUID		31.36
EPA 504.1	ETHYLENE DIBROMIDE (EDB) IN DRINKING WATER	LIQUID		154.45
EPA 507	NITROGEN-PHOSPHOROUS PESTICIDES IN DRINKING WATER	LIQUID		369.28
EPA 508	CHLORINATED PESTICIDES IN DRINKING WATER	LIQUID		246.20
EPA 515.3	ACID HERBICIDES	LIQUID		369.28
EPA 515.4M	ACID HERBICIDES	LIQUID		369.28
EPA 547	GLYPHOSATE IN DRINKING WATER	LIQUID		188.11
EPA 552.3	HALOACETIC ACIDS IN DRINKING WATER (HAA)	LIQUID		270.54
EPA 608	CHLORINATED PESTICIDES	LIQUID		184.63
EPA 608	POLYCHLORINATED BIPHENYLS (PCBs)	LIQUID		166.05
EPA 614	NITROGEN-PHOSPHOROUS PESTICIDES	LIQUID		369.28
EPA 8015 & EPA 8020	SELECTED HYDROCARBONS- GASOLINE RANGE ORGANIC CONSTITUENTS (GRO) INCLUDING BTEX	SOLIDS	PERCENT MOISTURE	85.93
EPA 8015 & EPA 8020	SELECTED HYDROCARBONS- GASOLINE RANGE ORGANIC CONSTITUENTS (GRO) INCLUDING BTEX	LIQUID		85.93
EPA 8015 & EPA 8020	SELECTED HYDROCARBONS- GASOLINE RANGE ORGANIC CONSTITUENTS (GRO) INCLUDING BTEX	WASTE		85.93
EPA 8081B/3550C	CHLORINATED PESTICIDES	SOLID	PERCENT MOISTURE	184.63
EPA 8082A/3550C	POLYCHLORINATED BIPHENYLS (PCB)	SOLID, WASTE	PERCENT MOISTURE	171.87
EPA 8151	ACID HERBICIDES	SOLID	PERCENT MOISTURE	430.83
TNRCC 1005M	TOTAL PETROLEUM HYDROCARBONS (TPH)	LIQUID		85.93
TNRCC 1005M	TOTAL PETROLEUM HYDROCARBONS (TPH)	SOLID	PERCENT MOISTURE	85.93
TNRCC 1005M	TOTAL PETROLEUM HYDROCARBONS (TPH)	WASTE		85.93

METHOD	ANALYTES	MATRIX	PREP TEST	FY18 FEE
<b>Radiochemistry</b>				
SM 7110B	GROSS ALPHA-BETA	LIQUID		104.51
SM 7110B	GROSS ALPHA-BETA ON SWIPE	SWIPE		92.89
EPA 200.8	URANIUM BY ICP-MS	LIQUID		31.36
EPA 520-5-87005	RADON 222	AIR		31.36

## APPENDIX B. SAMPLES SUBMITTED BY PRIVATE CITIZENS

METHOD	ANALYTES	MATRIX	PREP TEST	FY18 FEE
<b>Testing for Private Citizens</b>				
400-R-92-004	RADON CANISTERS	AIR		31.36
EPA 200.8	LEAD	LIQUID		24.39
EPA 300.0	FLUORIDE	LIQUID		27.87
EPA 325.2	CHLORIDE	LIQUID		24.39
EPA 353.2	NITRATE/ NITRITE IN COMBINATION	LIQUID		27.87
EPA 507	NITROGEN-PHOSPHOROUS PESTICIDES IN DRINKING WATER	LIQUID		369.28
EPA 508	CHLORINATED PESTICIDE IN DRINKING WATER	LIQUID		246.20
SM 9223B	COLIFORMS, TOTAL AND E. COLI, PRESENCE/ ABSENCE (P/A)	LIQUID		24.39
TNRCC 1005M	TOTAL PETROLEUM HYDROCARBONS (TPH)	LIQUID		85.93
EPA 8015/8020	SELECTED HYDROCARBONS- GASOLINE RANGE ORGANIC CONSTITUENTS (GRO) INCLUDING BTEX	LIQUID		85.93

METHOD	ANALYTES	MATRIX	PREP TEST	FY18 FEE
<b>Test Panels</b>				
ROUTINE CHEMICAL	ALKALINITY, CHLORIDE, NITRATE/NITRITE, CONDUCTIVITY, pH, SULFATE, TOTAL DISSOLVED SOLIDS, TOTAL HARDNESS	LIQUID		169.55
ROUTINE METALS	PRIMARY DRINKING WATER REGULATED CONTAMINANTS PLUS (ANTIMONY, ARSENIC, BARIUM, BERYLLIUM, CADMIUM, CHROMIUM, COPPER, LEAD, MERCURY, THALLIUM, URANIUM)	LIQUID		218.88
DAYCARE	COLIFORMS, TOTAL AND E. COLI (P/A); NITRATES; LEAD	LIQUID		76.65

METHOD	ANALYTES	MATRIX	PREP TEST	FY18 FEE
<b>Other Analyses</b>				
ABRAXIS 520011	ALGAL TOXINS, MICROCYSTINS AND NODULARINS BY ELISA	LIQUID		140.00
ABRAXIS 522011	ALGAL TOXINS, CYLINDROSPERMOPSIN BY ELISA	LIQUID		140.00
ABRAXIS 52255B	ALGAL TOXINS, SAXITOXINS BY ELISA	LIQUID		140.00
ABRAXIS 520060	ALGAL TOXINS, ANATOXIN-A BY ELISA	LIQUID		140.00
COLILERT-18	FECAL COLIFORMS (MPN) FOR WASTEWATER	LIQUID		53.69
EPA 1623.1	CRYPTOSPORIDIUM AND GIARDIA, MATRIX SPIKE	LIQUID		445.72
EPA 1623.1	CRYPTOSPORIDIUM AND GIARDIA, ROUTINE COMPLIANCE	LIQUID		354.55
EPA 1664B	OIL AND GREASE (HEM) BY SOLID PHASE EXTRACTION	LIQUID		74.25
EPA 200.8	MERCURY BY ICP-MS	LIQUID		24.39



METHOD	ANALYTES	MATRIX	PREP TEST	FY18 FEE
<b>Other Analyses</b>				
EPA 218.6	HEXAVALENT CHROMIUM (Cr VI) FOR NON-POTABLE WATERS	LIQUID, WASTE		62.00
EPA 300.0	CHLORIDE FOR WASTE WATER	LIQUID		28.15
EPA 300.0	SULFATE FOR WASTE WATER	LIQUID		28.15
EPA 531.2	CARBAMATE PESTICIDES IN DRINKING WATER	LIQUID		171.27
PREP EPA 1311	TOXIC CHARACTERISTIC LEACHING PROCEDURE (TCLP) EXTRACTION	SOLID		315.64
EPA 6010	TOXIC CHARACTERISTIC LEACHING PROCEDURE (TCLP) TRACE ELEMENTS BY ICP-OES: ARSENIC, BARIUM, CADMIUM, CHROMIUM, LEAD, SELENIUM, SILVER, (Digestion: 3015)	LIQUID	EPA 1311	195.14
EPA 6020	TOXIC CHARACTERISTIC LEACHING PROCEDURE (TCLP) TRACE ELEMENTS BY ICP-MS: ARSENIC, BARIUM, CADMIUM, CHROMIUM, LEAD, MERCURY, SELENIUM, ZINC (Digestion: EPA 3015)	LIQUID	EPA 1311	195.14
EPA 901.1	GAMMA EMITTING RADIONUCLIDES TARGET LIST	LIQUID		106.66
GA TECH	GEORGIA TECH ISOTOPIC RADIUM 226 & 228 BY GAMMA SPECTROSCOPY	LIQUID		106.66
HASL 300	GAMMA EMITTING RADIONUCLIDES	MISC.	HASL 300 PREP	106.66
HASL 300 PREP	GEOMETRY COMPOSITION FOR GAMMA SPECTROSCOPY, COMPLEX	MISC.		96.24
HASL 300 PREP	GEOMETRY COMPOSITION FOR GAMMA SPECTROSCOPY, SIMPLE	MISC.		35.46
LEGIOLERT	LEGIONELLA IN POTABLE AND NON-POTABLE WATERS, MPN	LIQUID		150.00
SM 10200F	POTENTIALLY TOXIC CYANOBACTERIA, IDENTIFICATION & ENUMERATION	LIQUID		165.32
SM 10900	GOLDEN ALGAE, IDENTIFICATION & ENUMERATION	LIQUID		151.00
SM 10900	GOLDEN ALGAE, IDENTIFICATION ONLY	LIQUID		80.00
SM 10900	MICROSCOPIC EXAMINATION OF AQUATIC ORGANISMS, SEMIQUANTITATIVE	LIQUID		152.00
SM 10900	POTENTIALLY TOXIC CYANOBACTERIA, IDENTIFICATION ONLY	LIQUID		80.00
SM 2320B	ALKALINITY BY TITRATION FOR DRINKING WATER	LIQUID		25.33
SM 2320BM	ACID NEUTRALIZING CAPACITY (ANC)	LIQUID		70.22
SM 2540G-M	DRY WEIGHT	SOLID		25.33
SM 4500-BR-D	BROMIDE (COLORIMETRIC) BY FLOW INJECTION ANALYSIS	LIQUID		18.58
SM 9213E	PSEUDOMONAS	LIQUID		92.89
SM 9260E	PATHOGENIC BACTERIA- SHIGELLA	LIQUID		92.89
SM 9260L	PATHOGENIC BACTERIA- AEROMONAS	LIQUID		92.89
PREP	GENERAL CHEMISTRY SOLID PREP	SOLID		10.44